

Radial Access - Cardiac Angiogram Discharge Instructions

Activity

- Rest at home until the morning after the test.
- Keep the wrist where the procedure was done as straight as you can for 6 hours.
- Do not do any lifting, sports, heavy work with the arm with the band-aid for 2 days.

Going back to work

Ask the doctor who did your test when you can go back to work.

Bandage

- Keep the bandage dry during the evening and night after the test.
- Take the bandage off in the morning.
- Do not put another bandage on.
- You may have a bath or shower the morning after your test.

If you have bleeding

- Signs that you may be bleeding are: blood on the bandage, swelling, stinging, pain where the needle was put in your wrist.
- If you have bleeding or swelling you must:
 - Take off the bandage.
 - Check to see if there is bleeding or swelling under or near the tiny test hole.
 - Use your hand and press hard on the puncture site for 15 minutes. Someone else can do the pressing if you wish.
 - Press hard enough to feel a heart beat under your fingers.
 - Do not stop pressing for 15 minutes.
- If there is still some bleeding or if the swelling is getting bigger or harder, reposition your hand on the puncture site and keep on pressing and call 9-1-1.
- Go to the **nearest hospital** right away if you have any of the following symptoms:
 - Numbness, tingling, weakness, swelling, pain, too cold, too hot, or whiteness.
 - Redness, too hot, drainage, or pus at the puncture site.
 - Fever or chills that come on quickly.